

## Ultraseal Passanger & Light Truck Volume Chart

Rims 10" - 22.5"

1 ounce = 1 unit on pump

Rim Size - 10"	ozs	litres	ozs x 4	litres x 4
135/95-10LT	6	0.18	24.00	0.72
145/95-10LT	7	0.21	28.00	0.84
135/80-10	5	0.15	20.00	0.60
145/80-10	6	0.18	24.00	0.72
165/70-10	7	0.21	28.00	0.84
155/65-10LT	7	0.21	28.00	0.84
145-10LT	6	0.18	24.00	0.72
5.00-10LT	6	0.18	24.00	0.72
5.20-10	6	0.18	24.00	0.72

Rim Size - 12"	ozs	litres	ozs x 4	litres x 4
135/95-12LT	7	0.20	28.00	0.80
145/95-12LT	8	0.23	32.00	0.92
135/80-12	6	0.18	24.00	0.72
P145/80R12	7	0.21	28.00	0.84
P155/80R12	7	0.21	28.00	0.84
145/70-12	7	0.21	28.00	0.84
155/70-12	7	0.21	28.00	0.84
P165/70(R,D)12	8	0.24	32.00	0.96
175/70-12	9	0.27	36.00	1.08
155/65-12	8	0.24	32.00	0.96
165/60-12	8	0.24	32.00	0.96
145-12LT	7	0.21	28.00	0.84
155R12	7	0.21	28.00	0.84
155-12LT	7	0.21	28.00	0.84
5.50-12	7	0.21	28.00	0.84
5.65-12	7	0.21	28.00	0.84

Rim Size - 13"	ozs	litres	ozs x 4	litres x 4
155/95-13LT	9	0.27	36.00	1.08
165/95-13LT	10	0.29	40.00	1.16
135/80-13	6	0.18	24.00	0.72
P145/80(R,D)13	7	0.21	28.00	0.84
P155/80R13	8	0.24	32.00	0.96
P165/80R13	8	0.24	32.00	0.96
P175/80R13	9	0.27	36.00	1.08
P185/80R13	10	0.30	40.00	1.20
P165/75(R,D)13	8	0.24	32.00	0.96
P175/75(R,D)13	9	0.27	36.00	1.08
P185/75(R,D)13	10	0.30	40.00	1.20
145/70R13	7	0.21	28.00	0.84
P155/70R13	8	0.24	32.00	0.96
P165/70R13	9	0.27	36.00	1.08
P175/70R13	9	0.27	36.00	1.08
P185/70R13	10	0.30	40.00	1.20
P195/70R13	11	0.33	44.00	1.32
P205/70R13	12	0.35	48.00	1.40
145/65-13	7	0.21	28.00	0.84
155/65-13	8	0.24	32.00	0.96
P165/65R13	9	0.27	36.00	1.08

175/65-13	10	0.30	40.00	1.20
185/65-13	10	0.30	40.00	1.20
P195/65R13	11	0.33	44.00	1.32
155/60-13	8	0.24	32.00	0.96
165/60-13	9	0.27	36.00	1.08
175/60-13	9	0.27	36.00	1.08
P185/60R13	10	0.30	40.00	1.20
P195/60R13	11	0.33	44.00	1.32
P205/60R13	12	0.35	48.00	1.40
P215/60R13	13	0.38	52.00	1.52
P235/60R13	14	0.41	56.00	1.64
185/55-13	9	0.27	36.00	1.08
195/55-13	11	0.33	44.00	1.32
145R13	7	0.21	28.00	0.84
155R13	8	0.24	32.00	0.96
155-13LT	8	0.24	32.00	0.96
165R13	9	0.27	36.00	1.08
135-13LT	9	0.27	36.00	1.08
175R13	9	0.27	36.00	1.08
5.50-13LT	8	0.24	32.00	0.96
5.60-13	8	0.24	32.00	0.96
6.00-13LT	10	0.30	40.00	1.20
6.15-13	8	0.24	32.00	0.96
6.45-13	9	0.27	36.00	1.08
7.00-13	12	0.35	48.00	1.40

<b>Rim Size - 13.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
175/60-13.5LT	9	0.27	36.00	1.08

<b>Rim Size - 14"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
165/95-14LT	10	0.31	40.00	1.24
175/95-14LT	11	0.34	44.00	1.36
P165/80(R,D)14	9	0.27	36.00	1.08
P175/80(R,D)14	10	0.30	40.00	1.20
P185/80(R,D)14	11	0.33	44.00	1.32
195/80-14	12	0.35	48.00	1.40
205/80-14	12	0.35	48.00	1.40
(P,LT)175/75-R14	10	0.30	40.00	1.20
(P,LT)185/75-R15	10	0.30	40.00	1.20
(P,LT)195/75-R16	11	0.33	44.00	1.32
P205/75-R14	12	0.35	48.00	1.40
(P,LT)215/75-R14	13	0.38	52.00	1.52
P225/75-R14	14	0.41	56.00	1.64
165/70-14	9	0.27	36.00	1.08
P175/70-R14	10	0.30	40.00	1.20
P185/70-R15	11	0.33	44.00	1.32
P195/70-R16	12	0.35	48.00	1.40
(P,LT)205/70-14	13	0.38	52.00	1.52
(P,LT)215/70-14	14	0.41	56.00	1.64
P225/70-R14	14	0.41	56.00	1.64
P235/70-R14	15	0.44	60.00	1.76
P245/70-R14	16	0.47	64.00	1.88
155/65-R14	8	0.24	32.00	0.96
P165/65-R14	9	0.27	36.00	1.08
P175/65-R15	10	0.30	40.00	1.20

P185/65-R16	11	0.33	44.00	1.32
P195/65-R17	12	0.35	48.00	1.40
205/65-14	13	0.38	52.00	1.52
P215/65-R14	14	0.41	56.00	1.64
165/60-R14	9	0.27	36.00	1.08
P175/60-R14	10	0.30	40.00	1.20
P185/60-R14	11	0.33	44.00	1.32
P195/60-R14	12	0.35	48.00	1.40
P205/60-R14	12	0.35	48.00	1.40
P215/60-R14	13	0.38	52.00	1.52
P225/60-R14	14	0.41	56.00	1.64
P235/60-R14	15	0.44	60.00	1.76
P245/60-R14	16	0.47	64.00	1.88
P255/60-R14	17	0.50	68.00	2.00
P265/60-R14	18	0.53	72.00	2.12
P275/60-R14	19	0.56	76.00	2.24
155/55-14	9	0.27	36.00	1.08
165/55-14	9	0.27	36.00	1.08
185/55-14	11	0.33	44.00	1.32
195/55-14	12	0.35	48.00	1.40
P205/55-R14	13	0.38	52.00	1.52
205/55-14	13	0.38	52.00	1.52
P255/55-R14	17	0.50	68.00	2.00
145-R14	7	0.21	28.00	0.84
155-R14	8	0.24	32.00	0.96
165-R14	9	0.27	36.00	1.08
165/14LT	9	0.27	36.00	1.08
175-R14	10	0.30	40.00	1.20
175/14LT	10	0.30	40.00	1.20
185-R14	11	0.33	44.00	1.32
185/14LT	11	0.33	44.00	1.32
195/14LT	12	0.35	48.00	1.40
5.5/14LT	9	0.27	36.00	1.08
6.00/14LT	10	0.30	40.00	1.20
6.40/14	9	0.27	36.00	1.08
6.45/14	9	0.27	36.00	1.08
6.50/14LT	11	0.33	44.00	1.32
6.95/14	10	0.30	40.00	1.20
7.00/14LT	11	0.33	44.00	1.32
7.90/14LT	12	0.35	48.00	1.40
8.00/14	13	0.38	52.00	1.52
8.50/14LT	13	0.38	52.00	1.52
11.00/14LT	19	0.56	76.00	2.24
26X8.50-R14LT	12	0.35	48.00	1.40
27X8.50-R14LT	13	0.38	52.00	1.52

<b>Rim Size - 14.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
205/60-14.5LT	12	0.35	48.00	1.40
7.00-14.5LT	11	0.33	44.00	1.32
8-14.5LT	13	0.38	52.00	1.52
9-14.5LT	15	0.44	60.00	1.76

<b>Rim Size - 15"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
P155/80(R,D)15	9	0.27	36.00	1.08
P165/80(R,D)15	9	0.27	36.00	1.08

175/80-15 (LT)	10	0.30	40.00	1.20
185/80-15LT	11	0.33	44.00	1.32
P195/80(R,D)15	12	0.36	48.00	1.44
LT215/80-R15	14	0.42	56.00	1.68
225/80-15	15	0.45	60.00	1.80
185/75-15LT	11	0.33	44.00	1.32
(P,LT)195/75-R15	12	0.36	48.00	1.44
(P,LT)205/75-R15	12	0.36	48.00	1.44
(P,LT)215/75-R15	13	0.39	52.00	1.56
(P,LT)225/75-R15	14	0.42	56.00	1.68
(P,LT)235/75-R15	15	0.45	60.00	1.80
P245/75-R14	17	0.51	68.00	2.04
LT255/75-15	17	0.51	68.00	2.04
(P,LT)265/75-R15	19	0.57	76.00	2.28
P175/70-R15	10	0.30	40.00	1.20
P185/70-R15	11	0.33	44.00	1.32
P195/70-R15(LT)	12	0.36	48.00	1.44
P205/70-R15	13	0.39	52.00	1.56
205/70-15LT	13	0.39	52.00	1.56
P215/70-R15	14	0.42	56.00	1.68
P225/70-R15	15	0.45	60.00	1.80
P235/70-R15	16	0.48	64.00	1.92
(P,LT)245/70-R15	17	0.51	68.00	2.04
(P,LT)255/70-R15	18	0.54	72.00	2.16
(P,LT)265/70-R15	19	0.57	76.00	2.28
P275/70-R15	20	0.60	80.00	2.40
(P,LT)285/70-R15	22	0.66	88.00	2.64
LT315/70-R15	25	0.75	100.00	3.00
145/65-R15	8	0.24	32.00	0.96
165/65-R15	10	0.30	40.00	1.20
P185/65-R15	12	0.36	48.00	1.44
P195-65-R15	13	0.39	52.00	1.56
P205/65-R15	13	0.39	52.00	1.56
P215/65-R15	14	0.42	56.00	1.68
225/65-15	15	0.45	60.00	1.80
P235/65-R15	16	0.48	64.00	1.92
LT245/65-15	17	0.51	68.00	2.04
P255/65-R15	19	0.57	76.00	2.28
P295/65-R15	23	0.69	92.00	2.76
155/60-R15	8	0.24	32.00	0.96
165/60-R15	9	0.27	36.00	1.08
175/60-R15	10	0.30	40.00	1.20
P185/60-R15	11	0.33	44.00	1.32
P195/60-R15	12	0.36	48.00	1.44
P205/60-R15	13	0.39	52.00	1.56
P215/60-R15	14	0.42	56.00	1.68
P225/60-R15	15	0.45	60.00	1.80
P235/60-R15	16	0.48	64.00	1.92
P245/60-R15	17	0.51	68.00	2.04
P255/60-R15	18	0.54	72.00	2.16
P265/60-R15	19	0.57	76.00	2.28
P275/60-R15	20	0.60	80.00	2.40
P295/60-R15	22	0.66	88.00	2.64
P315/60-R15	25	0.75	100.00	3.00
LT325/60-R15	26	0.78	104.00	3.12

165/55-R15	9	0.27	36.00	1.08
175/55-R15	10	0.30	40.00	1.20
185/55-R15	12	0.36	48.00	1.44
P195/55-R15	12	0.36	48.00	1.44
R205/55-R15	13	0.39	52.00	1.56
205/55-R15	14	0.42	56.00	1.68
215/55-15	14	0.42	56.00	1.68
P225/55-R15	15	0.45	60.00	1.80
P255/55-R15	18	0.54	72.00	2.16
275/55-15	20	0.60	80.00	2.40
P345/55-R15	29	0.87	116.00	3.48
125-R15	6	0.18	24.00	0.72
135-R15	7	0.21	28.00	0.84
155-R15	9	0.27	36.00	1.08
165-R15	9	0.27	36.00	1.08
165-15LT	9	0.27	36.00	1.08
195-15LT	12	0.36	48.00	1.44
205-15LT	13	0.39	52.00	1.56
215-15LT	14	0.42	56.00	1.68
5.60-15	8	0.24	32.00	0.96
6.00-15LT	10	0.30	40.00	1.20
6.50-15LT	12	0.36	48.00	1.44
6.70-15LT,6.70R15LT	12	0.36	48.00	1.44
7.00-15LT, 7.00R15LT	14	0.42	56.00	1.68
7.10-15LT	13	0.39	52.00	1.56
7.50-15LT	16	0.48	64.00	1.92
9.00-15LT	17	0.51	68.00	2.04
10R15LT	12	0.36	48.00	1.44
11.00-15LT	19	0.57	76.00	2.28
12.00-15LT	24	0.72	96.00	2.88
12.10-15	26	0.78	104.00	3.12
L78-15LT	16	0.48	64.00	1.92
28X8.5-15	14	0.42	56.00	1.68
29X9.50R15LT	15	0.45	60.00	1.80
30X9.50R15LT	16	0.48	64.00	1.92
31X10.50R15LT	19	0.57	76.00	2.28
31X11.50R15LT	20	0.60	80.00	2.40
31X12.50R15LT	22	0.66	88.00	2.64
32X11.50R15LT	21	0.63	84.00	2.52
32X12.50-15LT	25	0.75	100.00	3.00
33X9.50R15LT	18	0.54	72.00	2.16
33X10.50R15LT	20	0.60	80.00	2.40
33X12.50R15LT	24	0.72	96.00	2.88
35X12.50R15LT	25	0.75	100.00	3.00
36X14.50R15LT	27	0.81	108.00	3.24
37X12.50R15LT	27	0.81	108.00	3.24
37X14.50/15	32	0.96	128.00	3.84

<b>Rim Size - 15.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
185/70-15.5LT	11	0.33	44.00	1.32
195/70-15.5LT	12	0.35	48.00	1.40
215/60-15.5LT	14	0.41	56.00	1.64

<b>Rim Size - 16"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
185/85-16LT	12	0.35	48.00	1.40

195/85-16LT	13	0.38	52.00	1.52
205/85-16LT	14	0.41	56.00	1.64
LT215/85R16	15	0.44	60.00	1.76
225/85-16LT	16	0.47	64.00	1.88
LT235/85R16	17	0.50	68.00	2.00
LT255/85R16	19	0.56	76.00	2.24
P155/80-16	9	0.27	36.00	1.08
175/80-16	11	0.33	44.00	1.32
195/80-16	12	0.35	48.00	1.40
205/80-16	13	0.38	52.00	1.52
215/80-16	14	0.38	56.00	1.52
205/75-16	12	0.41	48.00	1.64
P215/75R16	14	0.41	56.00	1.64
(P, LT)225/75R16	15	0.44	60.00	1.76
P235/75R16	16	0.47	64.00	1.88
(P, LT)245/75R16	17	0.50	68.00	2.00
(P, LT)265/75R16	19	0.56	76.00	2.24
LT285/75R16	22	0.65	88.00	2.60
LT295/75R16	23	0.68	92.00	2.72
LT315/75R16	25	0.74	100.00	2.96
195/70-16LT	12	0.35	48.00	1.40
205/70-16LT	13	0.38	52.00	1.52
205/70-16	14	0.41	56.00	1.64
(P, LT)215/70R16	15	0.44	60.00	1.76
215/70-16	15	0.44	60.00	1.76
(P, LT)225/70R16	16	0.47	64.00	1.88
225/70-16	16	0.47	64.00	1.88
(P, LT)235/70R16	17	0.50	68.00	2.00
(P, LT)245/70R16	18	0.53	72.00	2.12
(P, LT)255/70R16	19	0.56	76.00	2.24
(P, LT)265/70R16	20	0.59	80.00	2.36
(P, LT)275/70R16	21	0.62	84.00	2.48
LT305/70R16	25	0.74	100.00	2.96
LT315/70R16	26	0.77	104.00	3.08
195/65-16LT	13	0.38	52.00	1.52
P205/65R16, (LT)	14	0.41	56.00	1.64
P215/65R16	15	0.44	60.00	1.76
P225/65R16	16	0.47	64.00	1.88
P235/65R16	17	0.50	68.00	2.00
P255/65R16	19	0.56	76.00	2.24
255/65-16	19	0.56	76.00	2.24
P265/65R16	20	0.59	80.00	2.36
P275/65R16	21	0.62	84.00	2.48
P285/65R16	23	0.68	92.00	2.72
P295/65R16	24	0.71	96.00	2.84
P205/60R16	13	0.38	52.00	1.52
P215/60-16	15	0.44	60.00	1.76
P225/60-16	15	0.44	60.00	1.76
P235/60R16	16	0.47	64.00	1.88
P255/60R16	18	0.56	72.00	2.24
275/60R16	19	0.56	76.00	2.24
(P, LT)285/60R16	22	0.65	88.00	2.60
365/60R16	31	0.92	124.00	3.68
P195/55R16	13	0.38	52.00	1.52
P205/55R16	14	0.41	56.00	1.64

P215/55R16	15	0.44	60.00	1.76
P225/55-16	16	0.47	64.00	1.88
P235/55R16	17	0.50	68.00	2.00
245/55-16	18	0.53	72.00	2.12
LT315/55R16	26	0.77	104.00	3.08
LT345/55R16	30	0.89	120.00	3.56
205-16LT	13	0.38	52.00	1.52
6.00-16LT	11	0.33	44.00	1.32
6.50-16LT, 6.50R16LT	12	0.35	48.00	1.40
7.00-16LT	15	0.44	60.00	1.76
7.50-16LT, 7.50R16LT	16	0.47	64.00	1.88
8.25-16LT	18	0.53	72.00	2.12
9.00-16LT	21	0.62	84.00	2.48

<b>Rim Size - 16.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
8.00-16.5LT, 8.00R16.5LT	13	0.38	52.00	1.52
8.75-16.5LT, 8.75R16.5LT	15	0.44	60.00	1.76
9.50-16.5LT, 9.50R16.5LT	17	0.50	68.00	2.00
10.00-16.5LT, 10.00R16.5LT	18	0.53	72.00	2.12
12.00-16.5LT, 12.00R16.5LT	23	0.68	92.00	2.72
31X10.5R16.5LT	19	0.56	76.00	2.24
33X12.5R16.5LR	24	0.71	96.00	2.84
35X12.5-16.5LT	26	0.77	104.00	3.08
36X12.5-16.5LT	26	0.77	104.00	3.08
37X14.5-16.5	31	0.92	124.00	3.68

<b>Rim Size - 17"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
LT235/80T17	17	0.50	68.00	2.00
P255/75R17	19	0.56	76.00	2.24
(P, LT)245/70R17	18	0.53	72.00	2.12
(P, LT)265/70R17	21	0.62	84.00	2.48
LT275/70R17	22	0.65	88.00	2.60
LT285/70R17	23	0.68	92.00	2.72
LT305/70R17	26	0.77	104.00	3.08
LT315/70R17	27	0.80	108.00	3.20
P255/65R17	17	0.50	68.00	2.00
P235/65R17	18	0.53	72.00	2.12
(P, LT)245/65R17	19	0.56	76.00	2.24
P255/65R17	20	0.59	80.00	2.36
P265/65R17	21	0.62	84.00	2.48
P275/65R17	22	0.65	88.00	2.60
P285/65R17	24	0.71	96.00	2.84
P215/60R17	15	0.44	60.00	1.76
P225/60R17	16	0.47	64.00	1.88
(P, LT)235/60R17	17	0.50	68.00	2.00
P255/60R17	19	0.56	76.00	2.24
P275/60R17	21	0.62	84.00	2.48
LT285/60-17	23	0.68	92.00	2.72
P215/55R17	16	0.47	64.00	1.88
P225/55R17	17	0.50	68.00	2.00
P235/55R17	18	0.53	72.00	2.12
P255/55R17	20	0.59	80.00	2.36
P265/55R17	21	0.62	84.00	2.48
P275/55R17	22	0.65	88.00	2.60
LT345/55R17	31	0.92	124.00	3.68

33X12.50R17LT	24	0.71	96.00	2.84
35X12.50R17LT	25	0.74	100.00	2.96
37X12.5R17LT	27	0.80	108.00	3.20
38X13.0R17LT	30	0.89	120.00	3.56

<b>Rim Size - 17.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
225/90-17.5LT	17	0.50	68.00	2.00
205/80-17.5LT	14	0.41	56.00	1.64
225/80-17.5LT	16	0.47	64.00	1.88
195/70-17.5LT	13	0.38	52.00	1.52
205/70-17.5LT	14	0.41	56.00	1.64
215/70-17.5LT	15	0.44	60.00	1.76
195/60-17.5LT	13	0.38	52.00	1.52
205/60-17.5LT	14	0.41	56.00	1.64
225/60-17.5LT	16	0.47	64.00	1.88
7-17.5LT	13	0.38	52.00	1.52
8-17.5LT	14	0.41	56.00	1.64
37X12.5-17.5	32	0.95	128.00	3.80

<b>Rim Size - 18"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
195/85-18LT	14	0.41	56.00	1.64
215/85-18LT	16	0.47	64.00	1.88
T155/80-18	9	0.27	36.00	1.08
P255/70R18	19	0.56	76.00	2.24
P265/70R18	20	0.59	80.00	2.36
P235/65R18	18	0.53	72.00	2.12
P275/65R18	23	0.68	92.00	2.72
LT285/65R18	24	0.71	96.00	2.84
P225/60R18	13	0.38	52.00	1.52
P245/60R18	19	0.56	76.00	2.24
P265/60R18	21	0.62	84.00	2.48
P275/60R18	22	0.65	88.00	2.60
P285/60R18	24	0.71	96.00	2.84
P235/55R18	18	0.53	72.00	2.12
P255/55R18	21	0.62	84.00	2.48
P265/55R18	22	0.65	88.00	2.60
P275/55R18	23	0.68	92.00	2.72
P285/55R18	24	0.71	96.00	2.84
35x12.50R18LT	25	0.71	100.00	2.84

<b>Rim Size - 20"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
P275/60R20	24	0.71	96.00	2.84
P275/55R20	25	0.74	100.00	2.96
LT285/55R20	26	0.77	104.00	3.08

<b>Rim Size - 22.5"</b>	<b>ozs</b>	<b>litres</b>	<b>ozs x 4</b>	<b>litres x 4</b>
LT235/80-22.5	21	0.62	84.00	2.48
LT255/80-22.5	23	0.68	92.00	2.72
LT275/80-22.5	26	0.77	104.00	3.08
LT315/80-22.5	31	0.92	124.00	3.68
LT255/70-22.5	23	0.68	92.00	2.72